## Government Unani Medical College, Ganderbal.

	QU	ESTION COM ANSWER BOOKLET	
[Time:	: 60 Minutes]	[Maximum Marks: 60]	
Name	of the Candidate		
Parent	age		
Reside	nce		
Roll Nu	umber		
	f Examination:-	20 <sup>th</sup> October, 2022.	
	N A CONTROL OF THE PARTY OF THE		
Post A	pplied For	: <u>Jr. Staff Nurse</u>	
	Nu	umber of Questions in Booklet = 60	
		***********	
		Important Instructions	
Please	read the following in		
1.	Write down the above e	ntries carefully in the question cum answer booklet in (BLOCK LETTERS) and sign	
	at the appropriate place.		
	write it in the box adjace	is followed by four responses. Your task is to choose the correct response and ent to each question.	
3.	Please mark the right re allowed.	esponse only with BLUE/BLACK ball point pen. Use of pencil and Gel Pen is not	
4.	4. Candidates are not allowed to carry any Paper, Notes, Books, Mobile Phones, Scanning Devices, Pagers Electronic Gadgets, etc. to the Examination Hall. Any candidate found using or in possession of suc unauthorized material, including in copying or impersonation or adopting unfair means, is liable to b disqualified.		
5.	<ol> <li>After finishing the examination, handover the booklet to the Invigilator/Hall Superintendent. DO NO carry Question-Answer booklet or any part of it outside the Examination Hall.</li> </ol>		
6.	All questions are compul	sory. There will be no negative marking.	
7.	7. No break is permitted during the test.		
	8. In case you finish answering all the questions well before the allotted time, you can review your answ in the remaining time. However, you can't leave the Centre before completion of the allotted time.		
	<ol> <li>In case of any defect, misprint, missing questions or duplication of questions; get the question-answ booklet changed. No complaint shall be entertained after the test.</li> </ol>		
10.	Do not use eraser, fluid p	pen, blades, etc. otherwise your answer/response/s) will be selected	
11.	Scratching, overwriting,	tick-marks and multiple answers will be considered wrong & no credit will be	

12. Please sign each page of this booklet at the space earmarked for your signatures.

Signature of Invigilator

Signature of Evaluator

[Type text]

Signature of Candidate

1.	The First menstrual cycle in a female is called as				
	a) Menarche	b) Menopause			
	c) Menstruation	d) Thelarche	(A)		
2.	Causative organism of syphilis is				
	a) Chalamydia trachomatis	b) Treponema pallidum			
	c) Poxvirus	d) Haemophilus ducreyi	(B)		
3.	Cyclic blooding in which Monetrus	I cycle is reduced to 21 days or less is	tormed as		
J.	a) Menorhagia		terrieu as		
		b) Polymenorrhea	( n )		
	c) Metrorrhagia	d) Dysmenorrhoea	B		
4.	Normal position of uterus in pelvic cavity is				
	a) Retroverted and retroflexed	<ul> <li>b) Retroverted and anteflexed</li> </ul>			
	c) Anteverted and retroflexed	d) Anteverted and anteflexed	(D)		
5.	The condition in which there is	s periodic shedding of the endome	etrium but the		
	menstrual blood fails to come out	from the genital tract is termed			
	a) Dysmenorhoea	b) Cryptomenorrhoea	D		
	c) Metrorrhagia	d) Menorhagia	(B)		
6.	Copper T-380 A provides protectio	n against pregnancy for			
10747	a) 3 years	b) 5 years			
	c) 6 years	d) 10 years	(D)		
7.	Example of first generation IIID's				
1.	Example of first generation IUD's is				
	a) Lippes loop	b) Progestasert	( A )		
	c) Multiload 375	d) Multiload CU-250			
8.	The total weight gain during the course of a single tone pregnancy in a healthy woman				
	is about				
	a) 11 Kg	b) 15 Kg	( A )		
	c) 8 Kg	d) 5 Kg			
9.	Perception of active fetal movements by the pregnant mother at about 18-20 weeks of				
	Gestation is termed as				
	a) Braxton-Hicks contractions	b) Goodell Sign	(1)		
	c) Quickening	d) Hegar's Sign			
10.	The relation of the various parts of the fetus to one another is called as				
	a) Lie	b) Attitude of the fetus	(B)		
	c) Presentation of fetus	d) None of the above	(1)		
11.	The vaginal discharge during first	two weeks after pregnancy is known a	as o		
1.15		b) Lochia			
	a) Show	CONTRACTOR OF THE CONTRACTOR O	(B)		
	c) Lochia alba	d) Bleeding			
		Sig. of the candidate:	the state of the s		

12.	Severe vomiting during pregnancy which has negative effect on the health of mother is known as			
	a) Morning sickness	b) Emesis gravidarum		
	c) Hyperemesis gravidarum	d) Eclampsia	(c)	
13.	The type of abortion in which the to a state from which recovery is in		ut has not reached	
	a) Threatened abortion     b) Missed abortion	b) Inevitable abortion d) Septic abortion	(A)	
14.				
14.	Commonest type of ectopic pregna a) Tubal	10 40 T. 10 T.		
	c) Abdominal	b) Ovarian d) Cervical	(A)	
15.	Commonest cause of PPH is			
	a) Atonicity of Uterus	b) Trauma		
	c) Blood coagulopathy	d) Episiotomy wound	A	
16.	Treatment of breast engorgement includes except			
	a) Analgesics	b) Antibiotics		
	c) Avoid breast feeding	d) Breast support	(0)	
17.	The substance given to pregnant ladies to reduce the incidence of neural tube defects in unborn babies is			
	a) Protein	b) Calcium		
	c) Iron	d) Folic acid		
18.	The surgical incision made during labour to prevent overstretching of perineal muscles is known as			
	a) Amniotomy	b) Episiotomy		
	c) Forceps delivery	d) Both a and b	B	
19.	Which vaccine is given to a pregnant lady			
	a) Measles	b) BCG	( )	
	c) Tetanus	d) DPT		
20.	Pap smear is used for screening of			
	a) Ovarian cancer	b) Endometrial cancer	( ( )	
	c) Cervical cancer	d) Breast Cancer		
21.	Superficial layer of the skin is called			
	a) Dermis	b) Epidermis	(12)	
	c) Adipose	d) Subcutaneous	B	

Sig. of the candidate:

22.	The pigment responsible for the colour of the skin is			
	a) Melanin	b) Carotene	( ^ )	
	c) Albumin	d) Gelatin	A	
23.	The chemical substance involved in inf	lammatory reaction is		
	a) Renin	b) Heparin	( , )	
	c) Histamine	d) Thyroxine		
24.	Bones are			
	a) Epithelial tissue	b) Connective tissue	( p )	
	c) Muscle tissue	d) None of the above	(B)	
25.	Mediastinum is found in			
	a) Cranial cavity	b) Thoracic cavity		
	c) Abdominal cavity	d) Pelvic cavity	(B)	
26.	Haversion systems are found in			
	a) Lung	b) Liver		
	c) Bone	d) Brain	(c)	
27.	First bone of the vertebral column is			
	a) Frontal	b) Atlas		
	c) Axis	d) Stapes	(B)	
	o) rais	u) otapes	0	
28.	The enzyme present in saliva is			
	a) Pepsin	b) Trypsin		
	c) Gastrin	d) Ptylin	(D)	
29.	Cardiac Sphincter is situated between			
	a) Oesophagus and Stomach	b) Pharynx and Oesophagus	(1)	
	c) Stomach and Intestine	d) Larynx and Pharynx	A	
30.	Rugae are			
	a) Longitudinal folds found in muscle layer of	of stomach b) Enzyme secreting gla	ands C	
	c) Longitudinal folds found in mucosa of st			
31.	Pepsin is responsible for digestion of			
	a) Proteins	b) Fats	$(\Lambda)$	
	c) Carbohydrates	d) Minerals	(1)	
32.	Kupffer cells are found in			
	a) Lungs	b) Pancreas	(1)	
	c) Liver	d) Intestine	( )	
	U) Livoi	\$ 100 mg		

33.	Diameter of RBC is about		
	a) 5 µ	b) 7 μ	(0)
	c) 12 µ	d) 17 μ	B
34.	Total number of WBC in a healthy a	adult is about	
O 1.	a) 40000-110000 per microlitre	b) 200-400 per microlitre	
	c) 4000-11000 per microlitre	d) 40-60 per microlitre	(C)
	c) 4000-1 1000 per microlitie	d) 40-00 per microlitie	
35.	Peyer's patches are found in		
	a) Stomach	b) Kidney	
	c) Liver	d) Small Intestine	D
36.	The Blood is carried to the Lungs b	v	
	a) Pulmonary arteries	b) Pulmonary veins	
	c) Aorta	d) Inferior Venacava	(A)
37.	The Dight atrioventricular value in	the beart is a	
31.	The Right atrioventricular valve in t		
	a) Bicuspid valve	b) Tricuspid valve	(B)
	c) Monocuspid valve	d) Tetracuspid valve	
38.	Which structure is known as pacen		
	a) SA node	b) AV node	( 1
	c) Bundle of His	d) Purkinje Fibers	(A)
39.	Growth Hormone Releasing Hormo	one is secreted by	
	a) Anterior Pituitary	b) Posterior Pituitary	
	c) Adrenal Gland	d) Hypothalamus	( D)
		ay rippouration as	
40.	Oxytocin is secreted by		
	a) Thyroid	b) Posterior Pituitary	(0)
	c) Anterior Pituitary	d) Adrenal Cortex	(B)
41.	Renin Angiotensin Aldosterone sys	stem is related with	
	a) Maintaining Sodium level	b) Maintaining BP	
	c) Maintaining Blood volume	d) All of above	(D)
42.	The Harmone which is responsible	for fight or flight roomans is	
42.	The Hormone which is responsible		
	a) Corticosterone	b) Aldosterone	(()
	c) Adrenalin	d) Cortisol	
43.	The inner most covering of the brai		
	a) Duramater	b) Piamater	( D
	c) Endomaterium	d) Arachnoid	(0)

44.	The state of the s	lies in which part of the brain		
	a) Thalamus	b) Hypothalamus	( B	
	c) Pons	d) Medulla Oblangata	0	
45.	Which Cranial nerve carries s	ensation of smell to the brain		
	a) Optic Nerve	b) Olfactory Nerve	(B	
	c) Facial Nerve	d) Vagus Nerve	(13)	
46.	In an adult GFR is about			
	a) 200ml/minute	b) 50 ml/minute	(,	
	c) 125 ml/minute	d) 30 ml/minute	C	
47.	The Hormone that increases v	vater reabsorption is		
	a) ADH	b) Adrenaline	( A	
	c) Thyroxin	d) Calcitonin	A	
48.	Length of fallopian tube is abo	out		
	a) 10 cm	b) 20 cm	( ^	
	c) 15 cm	d) 25 cm	A	
49.	Fertilization takes place in			
	a) Vagina	b) Uterus		
	c) Ovary	d) Fallopian Tube	D	
50.	Outer covering of Testes is ca	alled as		
	a) Tunica Vaginalis	b) Tunica Albuginea	( ^	
	c) Tunica Vasculosa	d) Tunica Serosa	A	
51.	The method of examination by	y tapping the fingers is known as		
	a) Inspection	b) Percussion	( B	
	c) Palpation	d) Auscultation		
52.	Bed sores are also known as			
	a) Blisters	b) Vesicles		
	c) Decubitus ulcer	d) Aphthous ulcer	C	
53.	Which position is given to a patient during enema			
	a) Prone position	b) Left lateral position		
	c) Supine position	d) Cardiac position	В	
54.	Human Anatomical wastes are collected in which colour code for biomedical waste			
	a) Yellow	b) Black	(1	

33.	intradermai injection is give	en at an angle of		
	a) 15°	b) 30°		
	c) 45°	d) 90°	(A)	
56.	The difference between ora	I and axilla temperature is		
	a) 0.5°C	b) 1°C		
	c) 1.5°C	d) 2°C	(A)	
57.	When a drug is given at bed time, which of the following coded instruction is used			
	a) ac	b) hs		
	c) od	d) sos	(B)	
58.	which of the following is not a viral diseases			
	a) Mumps	b) Smallpox	( )	
	c) Chickenpox	d) Typhoid fever		
59.	While measuring blood pressure in upper arm, the chest piece of stethoscope is placed over			
	a) Axillary artery	b) Brachial artery	( p )	
	c) Radial artery	d) Ulnar artery	(B)	
60.	For intravenous infusion the drip should be hanged at the height of			
	a) 4-6 inches	b) 10-12 inches		
	c) 18-24 inches	d) 18-24 cm	(C)	